



PHONES

(044) 360-7-130
 (050) 336-0-130
 (063) 788-0-130
 (067) 233-0-130
 (068) 282-0-130



ICQ

294-0-130
 597-0-130

SKYPE

km-130

130

COM.UA

Internet store of autogoods

CAR RECEIVERS — Receivers • Media receivers and stations • Native receivers • CD/DVD changers • FM-modulators/USB adapters • Flash memory • Facia plates and adapters • Antennas • Accessories |
 CAR AUDIO — Car audio speakers • Amplifiers • Subwoofers • Processors • Crossovers • Headphones • Accessories | TRIP COMPUTERS — Universal computers • Model computers • Accessories |
 GPS NAVIGATORS — Portable GPS • Built-in GPS • GPS modules • GPS trackers • Antennas for GPS navigators • Accessories | VIDEO — DVR • TV sets and monitors • Car TV tuners • Cameras • Videomodules
 • Transcoders • Car TV antennas • Accessories | SECURITY SYSTEMS — Car alarms • Bike alarms • Mechanical blockers • Immobilizers • Sensors • Accessories | OPTIC AND LIGHT — Xenon • Bixenon • Lamps
 • LED • Stroboscopes • Optic and Headlights • Washers • Light, rain sensors • Accessories | PARKTRONICS AND MIRRORS — Rear parktronics • Front parktronics • Combined parktronics • Rear-view mirrors
 • Accessories | HEATING AND COOLING — Seat heaters • Mirrors heaters • Screen-wipers heaters • Engine heaters • Auto-refrigerators • Air conditioning units • Accessories | TUNING — Vibro-isolation
 • Noise-isolation • Tint films • Accessories | ACCESSORIES — Radar-detectors • Handsfree, Bluetooth • Windowlifters • Compressors • Beeps, loudspeakers • Measuring instruments • Cleaners • Carsits
 • Miscellaneous | MOUNTING — Installation kits • Upholstery • Grilles • Tubes • Cable and wire • Tools • Miscellaneous | POWER — Batteries • Converters • Start-charging equipment • Capacitors
 • Accessories | MARINE AUDIO AND ELECTRONICS — Marine receivers • Marine audio speakers • Marine subwoofers • Marine amplifiers • Accessories | CAR CARE PRODUCTS — Additives • Washer fluid •
 Care accessories • Car polish • Flavors • Adhesives and sealants | LIQUID AND OIL — Motor oil • Transmission oil • Brake fluid • Antifreeze • Technical lubricant



In store "130" you can find and buy almost all necessary goods for your auto in Kyiv and other cities, delivery by ground and postal services. Our experienced consultants will provide you with exhaustive information and help you to chose the very particular thing. We are waiting for you at the address

<http://130.com.ua>

clarion®

QUICK START GUIDE & Installation Manual

GUIDE DE DÉMARRAGE RAPIDE ET GUIDE D'INSTALLATION

KURZANLEITUNG und Montageanleitung

GUIDA DI AVVIO RAPIDO E MANUALE DI INSTALLAZIONE

BEKNOPTE HANDLEIDING & installatiehandleiding

GUÍA DE INICIO RÁPIDO Y MANUAL DE INSTALACIÓN

SNABBGUIDE OCH BRUKSANVISNING

PODRĘCZNIK WPROWADZAJĄCY I PODRĘCZNIK UŻYTKOWNIKA

ΟΔΗΓΟΣ ΓΡΗΓΟΡΗΣ ΕΚΚΙΝΗΣΗΣ & Εγχειρίδιο εγκατάστασης

NX302E

MULTIMEDIA STATION WITH BUILT-IN NAVIGATION & 6.2" TOUCH PANEL CONTROL

STATION MULTIMÉDIA AVEC NAVIGATION INTÉGRÉE ET COMMANDE PAR ÉCRAN TACTILE DE 6,2"

MULTIMEDIA-STATION MIT INTEGRIERTER NAVIGATION UND BEDIENUNG ÜBER EIN 6,2-ZOLL-TOUCHPANEL

STAZIONE MULTIMEDIALE CON FUNZIONE DI NAVIGAZIONE INCORPORATA E PANNELLO DA 6,2" A CONTROLLO TATTILE
MULTIMEDIASTATION MET INGEBOUWDE NAVIGATIE & 6.2"
AANRAAK-BEDIENINGSPANEEL

ESTACIÓN MULTIMEDIA CON NAVEGACIÓN INTEGRADA Y CONTROL DE PANEL TÁCTIL DE 6,2"

MULTIMEDIASTATION MED INBYGGD NAVIGERING & 6,2"
PEKSÄRM

MULTIMEDIALNY ODTWARZACZ Z WBUDOWANĄ NAWIGACJĄ I Z

OBSŁUGĄ ZA POŚREDNICTWEM PANELU DOTYKOWEGO 6,2"

ΣΤΑΘΜΟΣ ΠΟΛΥΜΕΣΩΝ ΜΕ ΕΝΣΩΜΑΤΩΜΕΝΗ ΠΛΟΗΓΗΣΗ ΚΑΙ ΕΛΕΓΧΟ ΜΕΣΩ ΟΘΟΝΗΣ ΑΦΗΣ 6.2"

Contents

This guide is intended to guide you through the basic functions of the unit.

Precautions	2
Operational Panel	3
Turning the Power On	4
Selecting a Source	4
Source Media Modes	5
MP3/WMA Playback.....	5
USB Video Operations	5
iPod ® Audio Playback.....	6
iPod video playback	6
Radio mode.....	7
Bluetooth Operations	8
Pairing	8
Bluetooth Telephone menu	8
Making a call	8
Bluetooth Audio Playback	8
Start using Clarion Mobile Map	9
Selecting the destination of a route	9
Map screen.....	10
Quick menu	10
Installation Guide	11
Before Starting	11
Package Contents	11
Cautions On Installation	11
Installing The Main Unit.....	12
Cautions On Wiring	13
Installing The GPS Antenna	14
Wire Connection.....	15

Notes


- For details of functions and operation of this product, refer to "Owner's manual".
- The screens shown in the examples may differ from actual screens. Actual screens may be changed without notice for performance and function improvements.

Precautions


⚠ WARNING

For your safety, the driver should not operate the controls while driving.
Also, while driving, keep the volume to a level at which external sounds can be heard.

1. This unit uses precision parts and components for its operation. In the event that trouble arises, never open the case, disassemble the unit, or lubricate the rotating parts. Contact your **Clarion** dealer or service center.
2. "Made for iPod," and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod or iPhone may affect wireless performance.
3. iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries.



Operational Panel



Names of Buttons

[POWER/VOL] Knob

- Press to power on the system when ignition on.
- When power on, short press to mute the volume.
- Rotate the knob to increase or decrease the volume.
- Press and hold this key more than 1 second to turn off the system.

[■ ALL] ALL MENU Button

- Short press to show/exit shortcut menu.
- Long press to show/exit main source menu.

[▲] NAVI/AV Button

- Press to enter navigation mode;
- Press again to return current source.

[MIC] Hole


- Internal microphone

[RESET] Button

- Press to load original settings.

Note: When the [RESET] button is pressed, frequencies of radio stations, titles, etc. stored in memory are cleared.

Turning the Power On



Start the engine. The power is supplied to this unit.

Press [POWER/VOL] button on the panel to turn on the unit.



Selecting a Source

Long press [■ ALL] button on the PANEL to show main source menu.

Touch [-] on the bottom of screen to show sources.

Change page by dragging left or right or touching other [-] buttons.

Touch the icons on the screen to enter corresponding work mode, such as Disc mode, Tuner mode, Telephone mode, etc.


Source Media Modes

When you select the desired source mode (for example, the Tuner, USB or iPod mode), the following screen will appear.

During playback, touch the bottom half of screen to show operation bar.



MP3/WMA Playback

1. Show folder/file list (Browse)
2. Folder/Title/Artist/Album information
3. Play/Pause
4. Repeat play
5. Previous track
Fast reverse (long press)
6. Progress bar
7. Next track
Fast forward (long press)
8. Random play
9. Show other options
10. Scan play
11. Back to main operation bar



USB Video Operations


1. Play/Pause
2. Repeat play
3. Previous file
Fast reverse (long press)
4. Progress bar
5. Next file
Fast forward (long press)
6. Stop and show list menu (Browse)
7. Show other options
8. Show playback information
9. Back to main operation bar



Source Media Modes



iPod® Audio Playback

1. Show file list (Browse)
2. Switch between iPod Audio and Video
3. Song/Artist/Album information
4. Play/Pause
5. Repeat play
6. Previous track
Fast reverse (long press)
7. Progress bar
8. Next track
Fast forward (long press)
9. Random play
10. Show other options
11. Turn on / off Simple Control
12. Select Audiobook play speed
13. Back to main operation bar



iPod video playback

1. Play/Pause
2. Repeat play
3. Previous file
Fast reverse (long press)
4. Progress bar
5. Next file
Fast forward (long press)
6. Show iPod list menu
7. Show other options
8. Turn on / off Simple Control
9. Back to main operation bar



Source Media Modes

Radio mode

1. Band switch
2. Information area
3. Preset station number
4. Current station frequency
5. Show preset stations list
6. Scan preset stations
7. Manual tune backward
Auto tune backward. (long press)
8. Frequency bar
9. Manual tune forward
Auto tune forward. (long press)
10. Show other options
11. Choose local or distant seeking mode
12. Turn on/off Traffic Announcement
13. Turn on/off Alternative Frequency
14. Turn on/off Regional
15. Show next page
16. Back to main operation bar
17. Show previous page
18. Select Programme Type
19. Auto store preset stations



Bluetooth Operations

Pairing

1. Touch [Custom] on the bottom left of the main menu, then select [Settings] to enter Setting menu.
2. Touch [Setup], then touch the button to the right of “Bluetooth” to show Bluetooth setting menu.
3. Select [On] to the right of “Bluetooth”.
4. Turn on Bluetooth function of your mobile phone.
5. Enter mobile phone's Bluetooth setup menu.
6. Search for new Bluetooth devices.
7. Select **NX302E** from the pairing list on the mobile phone.
8. Enter the password. (Default password: “**0000**”)
9. After pairing successfully,  icon on the bottom right of the screen turns blue.

Bluetooth Telephone menu

1. Show history categories
2. Backspace
3. Paired device information
4. Number pad
5. Call/Hang up

Making a call

• Dial Number

1. Input numbers by digit-keys on the screen.
2. Touch [ Call] button to dial.
Touch [] button to delete characters.
3. Touch [ End] button to terminate call.

You can access Dialled/Missed/Received Call History and your phone book by touching  button.

• Answering a call

You can answer an incoming call by pressing the [ Call] button.

- * Touch [ End] button to reject an incoming call.



Bluetooth Audio Playback

1. Title/Artist/Album information
2. Play/Pause
3. Previous track
Fast reverse (long press)
4. Stop
5. Next track
Fast forward (long press)



Start using Clarion Mobile Map

When Clarion Mobile Map is started the first time, you need to do the following:

1. Select the written language of the application interface. Later you can change it in Settings.
2. Select the language and speaker used for voice guidance messages. Later you can change it in Settings.
3. Read and accept the End User Licence Agreement.
4. Read and accept the road safety warning.

After this, the Navigation menu appears and you can start using Clarion Mobile Map.

Selecting the destination of a route

To enter an address as the destination, do as follows:


1. If you are on the Map screen, tap **Menu** to return to the Navigation menu.



2. In the Navigation menu, tap the following buttons: **Find**, **Find Recent**.



3. Selecting a destination by entering the address or the postal code
4. Selecting the destination from the Places of Interest
5. Selecting a map location as the destination
6. Selecting the destination from your Favourites
7. Selecting your Home location
8. Searching for a Place of Interest by its phone number
9. Entering the coordinate of the destination
10. Selecting a recent destination from the History
11. Additional options



- For the information about other ways, see the user manual.

Start using Clarion Mobile Map

Map screen

12. To enlarge this small map and open the Map screen, tap [Show Map] button
13. Zooming in and out
14. Tilting up and down
15. Rotating left and right
16. 2D or 3D view
17. Compass in 2D map view mode
18. Compass in 3D map view mode
19. Location information
20. Return to normal navigation
21. Select destination




Quick menu

22. The Quick menu is a selection of controls and functions that are frequently needed during navigation. It can be opened directly from the Map screen by tapping .
23. Find / Find Places /Quick Search (This function lets you search for a Place along your route or around your current location if there is no route calculated)
24. Find / Favourite (This button opens the list of your Favourite destinations)
25. Find / History (This button opens the History list. You can select one of your previous destinations)
26. My Route / Edit Route (This button opens the route editing function)
27. More / Settings / Route Settings (This button opens the route related settings)
28. More / Settings / Map Settings (This button opens the map related settings)
29. Tap the Current Street field on the Map screen (This button opens a special screen with information about the current position and a button to search for nearby emergency or roadside assistance).
30. My Route / Cancel Route (This button cancels the route and stops navigation. The button is replaced with the next one if waypoints are given)



Installation Guide

Before Starting



1. This set is exclusively for use in cars with a negative ground, 12 V power supply.
2. Read these instructions carefully.
3. Be sure to disconnect the battery “ \ominus ” terminal before starting. This is to prevent short circuits during installation.


Package Contents

Source unit	1
Wire connector	1
GPS antenna.....	1
CLAMP for GPS antenna's cable	3
DOUBLE FACE TAPE for GPS Antenna...	1
Cleaning cloth.....	1
Warranty Card	1
Quick Start Guide	1

Owner's manual (CD-R)	1
Electro tap	2
Flush mount bolts(M5x6)	8
Hexagon Head Screw(M5x6)	8
Rear Stud Bolt	1
Rubber Parts	1
AV cable	1

Cautions On Installation

1. Prepare all articles necessary for installing the main unit before starting.
2. Install the unit within 30° of the horizontal plane.
3. If you have to do any modification on the car body, such as drilling holes, consult your car dealer beforehand.
4. Use the included screws for installation. Using other screws can cause damage.




Installation Guide

Installing The Main Unit


This unit is designed for fixed installation in the dashboard.

1. When installing the main unit in NISSAN vehicles, use the parts attached to the unit (see “■ NISSAN”). When installing the main unit in TOYOTA vehicles, use the parts attached to the vehicle (see “■ TOYOTA”).
2. Wire as shown in “Wire Connection”.
3. Reassemble and secure the unit in the dashboard and set the face panel and center panel.

Mounting Screw Holes (Side View of the Main Unit)




NISSAN




TOYOTA

■ NISSAN



■ TOYOTA



Screws marked ★ and mounting bracket are attached to the vehicle.

Installation Guide

Note:


- *1 Some panel openings are too small for the unit depending on the vehicle type and model. In such a case, trim the upper and lower sides of the panel frame by about 0.5 to 1.5 mm so the unit can be inserted smoothly.
- *2 If a hook on the installation bracket interferes with the unit, bend and flatten it with a nipper or similar tool.

■ Vehicles other than NISSAN and TOYOTA

In some cases the center panel may require modification. (Trimming, filling, etc.)

Typical Mounting Brackets

In some cases the center panel may require modification. (Trimming, filling, etc.)



Example 1-3


Affix the screws to the ● marks.

Cautions On Wiring

- Be sure to turn the power off before wiring. Be particularly careful where you route the wires.
- Keep them well away from the engine, and exhaust pipe, etc. Heat may damage the wires.
- If the fuse should blow, check to see if the wiring is correct. If a fuse is blown, replace it with a new one of the same specification as the original.
- To replace the fuse, remove the old fuse of the power supply cord and insert the new one.

Note:

- There are various types of fuse holder. Do not let the battery side touch other metal parts.



- After the connection, fix the cord by a clamp or insulation tape for protection.

Installation Guide


Installing The GPS Antenna

⚠ WARNING


- Do not install the GPS antenna in a place where it may interfere with the operation of the airbag or hinder the driver's visual range.
- Do not use the navigation system with the GPS antenna cord cut off. The power cables in the cord may be short-circuited.

Note:

- The supplied GPS antenna is for installing inside the vehicle. Do not install it outside the vehicle.
- Install the GPS antenna more than 50 cm away from the main unit, other audio devices such as CD player, and a radar detector. If it is installed near these devices, GPS reception may be impaired.
- To improve the GPS signal reception, install the GPS antenna horizontally on a flat plane.
- Do not wax or paint the cover of the GPS antenna. This may reduce the performance of the GPS antenna.
- Install the GPS antenna at least 10 cm away from the windshield.
- Wipe off the dirt of the mounting surface before installing the GPS antenna.




- Mount the GPS antenna. Stick it surely on a flat plane of the passengerside dashboard where GPS signal interruption is minimized.
- Wire the GPS antenna cord. Fasten the cord using the cord holders.




- Stick the double-sided tape to the bottom face of the GPS antenna.

Installation Guide


Wire Connection



Installation Guide



Location	Function	
	Connector A	Connector B
1		Rear right (+) / Purple
2		Rear right (-) / Purple with black stripe
3		Front right (+) / Gray
4	Battery 12V(+) / Yellow	Front right (-) / Gray with black stripe
5	Auto Antenna / Blue	Front left (+) / White
6	Illumination / Orange with white stripe	Front left (-) / White with black stripe
7	ACC+ / Red	Rear left (+) / Green
8	Ground / Black	Rear left (-) / Green with black stripe



VW, Audi

Installation Guide

Note:


- *1 Connect to the AUX audio input terminal and the iPod video input terminal. (Audio connection is required only when [Analog] is selected for the iPod output signal. See Owner's Manual.)
- *2 In certain vehicles - Volkswagen/Opel/Vauxhall - it is necessary to exchange the accessory <<Red>> and the main power <<Yellow>> connection, to avoid overload and loss of memory.
- *3 When the unit is installed in a 1998 or later Volkswagen model, make sure to interrupt the <<Remote>> output. Disconnect the <<blue/white>> wire and insulate the front ends of this cord. A breakdown may occur if the cord is not disconnected, or front ends are not insulated.

■ Connecting the parking brake cord

Connect the cord to parking brake lamp ground in the meter panel.

Note:

- Connecting the parking brake cord to lamp ground allows you to watch video images when the parking brake is engaged.
- When the parking brake cord is not connected, the monitor will not display video images.



€ 2200

English:

Declaration of conformity

We Clarion declares that this model NX302E is following the provision of Directive 1999/5/EC with the essential requirements and the other relevant regulations.

Français:

Déclaration de conformité

Nous, Clarion, déclarons que ce modèle NX302E est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 1999/5/CE.

Deutsch:

Konformitätserklärung

Wir, Clarion, erklären, dass dieses Modell NX302E den Bestimmungen der Richtlinie 1999/5/EG im Hinblick auf die grundlegenden Anforderungen und andere relevante Bestimmungen entspricht.

Italiano:

Dichiarazione di conformità

Clarion dichiara che il presente modello NX302E è conforme ai requisiti essenziali e alle altre disposizioni pertinenti stabiliti dalla direttiva 1999/5/CE.

Nederlands:

Conformiteitsverklaring

Clarion verklaart dat het model NX302E in overeenstemming is met de essentiële eisen en andere relevante voorschriften van de bepalingen van Richtlijn 1999/5/EC.

Español:

Declaración de conformidad

Clarion declara que este modelo NX302E cumple con los requisitos esenciales y otras disposiciones aplicables descritos en la Directiva 1999/5/CE.

Svenska:

Intyg om överensstämmelse

Härmed intygar Clarion att denna modell NX302E uppfyller kraven i direktiv 1999/5/EG gällande väsentliga egenskaper och övriga relevanta bestämmelser.

Polski:

Deklaracja zgodności

Firma Clarion niniejszym oświadcza, że model NX302E jest zgodny z istotnymi wymogami oraz innymi odpowiednimi postanowieniami Dyrektywy 1999/5/WE

Ελληνικά:

Δήλωση συμμόρφωσης

Εμείς στην Clarion δηλώνουμε ότι αυτό το μοντέλο NX302E τηρεί τις διατάξεις της Οδηγίας 1999/5/EK σχετικά με τις ουσιώδεις απαιτήσεις και τους άλλους σχετικούς κανονισμούς.

Clarion Europe S.A.S.
Z.I. du Pré à Varois, Route de Pompey, 54670 Custines, FRANCE (Γαλλία)

Clarion Co., Ltd.

All Rights Reserved. Copyright © 2012: Clarion Co., Ltd.
Printed in China / Imprimé en Chine / Gedruckt in China
Stampato in Cina / Gedrukt in China / Impreso en China
Tryckt i Kina / Wydrukowano w Chinach / Εκτυπώθηκε στην Κίνα

PN: 127075003997